





Contact sales@pyroptic.com for pricing and quotation.

| PHOTO | ITEM | DESCRIPTION | UNIT |
|---|---------|---|------|
|  | PYR-074 | 74°C PyroNode | EA |
| | PYR-077 | 77°C PyroNode | EA |
| | PYR-082 | 82°C PyroNode | EA |
| | PYR-088 | 88°C PyroNode | EA |
| | PYR-092 | 92°C PyroNode | EA |
| | PYR-094 | 94°C PyroNode | EA |
| | PYR-100 | 100°C PyroNode | EA |
| | PYR-106 | 106°C PyroNode | EA |
| | PYR-112 | 112°C PyroNode | EA |
| | PYR-XXX | 72°C to 130°C Custom Temperature Ranges Available | EA |
|  | PYR-RST | PyroNode Reset Tool | EA |
|  | 025543 | PC-Fahrenheit High Temp Epoxy Putty 28g for PyroNodes | EA |
|  | PYR-MLD | PyroMould 6 x Putty Form Tool Kit for PyroNodes | 6PK |

| | | | |
|---|-------------|---|------------|
|  | SC-25-8 | M8 PyrOnode Copper Lug | EA |
|  | 598180 | PyrOnode Lug Crimping Tool | EA |
|  | SHCN-500-10 | 1.0mm POF 105°C Rated Fibre Cable | P/M |
| | | | 1000m Roll |
|  | PYR-SPL2 | 1.0mm PyrOnode Aluminium Tube Fibre Splice Kit (10 x Splices) | EA |
|  | C5321 | Fibre Cleaver | EA |
|  | R0063-10 | Twin 1.0mm Fibre Relay Adapter | EA |
|  | BR301-P | RiKO Fibre Continuity Relay 12/24Vdc - PNP Output | EA |
|  | PYR-EYE | PyrOeye 4 x lens kit for transmitting optical detection loop across an air gap. | 4PK |

| | | | |
|---|------------|---------------------------------|----|
|  | Pyr-EYE-SM | PyrOeye side mount lens bracket | EA |
|  | Pyr-EYE-EM | PyrOeye end mount lens bracket | EA |